

# SAFETY DATA SHEET

## Citra-Force Aerosol

Infosafe No.: 5GEX8  
ISSUED Date : 09/05/2022  
ISSUED by: Australian Chemical Services

### Section 1 - Identification

**Product Identifier**

Citra-Force Aerosol

**Company Name**

Lanotec Australia Pty Ltd (ABN 87 096 795 621)

**Address**

Unit 79  
57-101 Balham Road Archerfield  
QLD 4108 Australia

**Telephone/Fax Number**

Tel: +61 7 3373 3700

Fax: +61 7 3373 3777

**Emergency Phone Number**

0417 638 004

**Recommended use of the chemical and restrictions on use**

Cleaning/degreasing aerosol

### Section 2 - Hazard(s) Identification

**GHS classification of the substance/mixture**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Aerosols: Category 1

**Signal Word (s)**

DANGER

**Hazard Statement (s)**

H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated.

**Pictogram (s)**

Flame

**Precautionary Statement – Prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

### Precautionary Statement – Storage

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

## Section 3 - Composition and Information on Ingredients

---

### Ingredients

Name	CAS	Proportion
Butane	106-97-8	<20 %
Propane	74-98-6	<20 %
Ingredients determined to be non-hazardous at the formulation concentration		to 100%

## Section 4 - First Aid Measures

---

### Inhalation

If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

### Ingestion

If swallowed, do NOT induce vomiting.

### Skin

If skin or hair contact occurs, remove contaminated clothing and flush skin or hair with running water.

### Eye

If in eyes wash out immediately with water.

### First Aid Facilities

Ventilation and respiratory aid.

### Advice to Doctor

Treat symptomatically.

### Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

## Section 5 - Firefighting Measures

---

### Fire Fighting Measures

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress providing fire fighters with this Material Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways. Fully self-contained breathing apparatus, full suit and helmet, and protective boots and gloves are required.

### Suitable Extinguishing Media

Alcohol resistant foam, or dry chemical or foam. Do not use water jets. Will emulsify.

### Hazards from Combustion Products

Carbon dioxide, carbon monoxide and other organic complexes on incomplete combustion or oxidation.

### Specific hazards arising from the chemical

Hazardous decomposition: This product is a flammable aerosol and will fuel a fire in progress. Carbon monoxide, carbon dioxide, and other organic complexes will be produced on incomplete burning or oxidation.

## Section 6 - Accidental Release Measures

---

### Emergency Procedures

This product is flammable (aerosol) and will fuel a fire in progress. Observe standard operating procedures for managing a blaze involving chemicals which can emit toxic vapours. There are chemical reactions that can take place through hydrolysis (reactions with water vapour) creating corrosive mixtures, and vapour hazards. Heat and flame will accelerate the oxidation process which can result in hazardous decomposition mixtures: carbon dioxide and carbon monoxide. Ensure the extinguishing media and any fire-fighting run-off is contained from contributing to environmental contamination, other chemical reaction hazards in adjacent areas, or expansion of the fire-affected area.

### Clean-up Methods - Large Spillages

#### Major Land Spill

- Eliminate sources of ignition.
- Warn occupants of downwind areas of possible fire and explosion hazard, where present.
- Prevent product from entering sewers, watercourses, or low-lying areas.
- Keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
- Take measures to minimise the effect on the ground water.
- Contain the spilled product using the resources in the spill kit.
- Recover by pumping – use explosion proof pump or hand pump – or with a suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See "First Aid Measures"

#### Major Water Spill

- Eliminate any sources of ignition.
- Warn occupants and shipping in downwind areas of possible fire and explosion hazard, where present.
- Notify the port or relevant authority and keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Confine the spill if possible.
- Remove the product from the surface by skimming or with suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See "First Aid Measures"

## Section 7 - Handling and Storage

---

### Precautions for Safe Handling

Store in a well-ventilated area away from incompatible materials such as strong acids and bases and strong oxidising materials. Check containers for integrity periodically and vent containers in hot weather. Employ good industrial hygiene when using this product, i.e. wash hands before and after use.

### Conditions for safe storage, including any incompatibilities

This product is combustible and will fuel a fire in progress. Avoid extreme heat, direct sunlight, naked flames and ignition sources. Store any chemicals in banded or designated areas. Take precautions against static discharge.

## Section 8 - Exposure Controls and Personal Protection

---

### Occupational exposure limit values

The time weighted average concentration (TWA) for the liquid component of this product is: None specified; consider 5 g/m<sup>3</sup>, which means the highest allowable exposure concentration in an eight-hour day for a five-day working week. The short term exposure limit (STEL) is: None specified; consider 5 g/m<sup>3</sup>, which is the maximum allowable exposure concentration at any time. The liquid product component of this product is isolated in an aerosol device.

### Engineering Controls

#### Ventilation for sprays and aerosols

The use of local exhaust ventilation is recommended to control process emissions near the source for this product when used as an aerosol. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion proof equipment for any atomised products such as aerosols.

### Respiratory Protection

Where concentrations in air may approach or exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type 'A' filter material is considered suitable for this product.

### Eye and Face Protection

Consider using safety glasses or other eye protection

### Personal Protective Equipment

Consider wearing long sleeves, long trousers, or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended to consider wearing protective gloves when handling this product.

## Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Liquid	Appearance	The information in this section refers to the liquid component of this product. Clear, orange, mobile liquid
Odour	Citrus	Boiling Point	> 150°C
Solubility in Water	Miscible	pH	Not determined
Vapour Pressure	Not available	Density	1.02 g/ml
Flash Point	> 62°C	Auto-Ignition Temperature	> 250°C
Solubility in other solvents (kg/m <sup>3</sup> )	Hydrocarbons, organic solvents		

## Section 10 - Stability and Reactivity

### Chemical Stability

Stable at room temperature and pressure

### Conditions to Avoid

Avoid excessive heat, ignition sources, sparks and naked flames.

### Hazardous Decomposition Products

Strong acids, bases and oxidisers, heat and ignition sources.

## Section 11 - Toxicological Information

### Toxicology Information

The information in this section refers to the liquid component of this product.

Oral LD50: Inhalation (rat): 5300 mg/m<sup>3</sup>

Inhalation TCLo: No data available

### Ingestion

This product may cause discomfort on swallowing and result in gastric disturbances. Do not induce vomiting, but give water to drink. Treat symptomatically.

### Inhalation

This product may be irritating on inhalation or when working in confined spaces. Avoid inhaling mists of this product and do not concentrate vapours intentionally.

### Skin

This product will be irritating to skin, particularly at elevated temperatures. Washes off with water. Launder affected clothing before reuse.

## **Eye**

This product will be irritating to eyes resulting in redness, swelling, tearing, and soreness. First aid will alleviate symptoms. Contact is unlikely to result in permanent eye damage.

## **Chronic Effects**

Some individuals may experience irritant contact dermatitis with this product, and even develop some sensitivity. PPE precautions will limit the effect of contact.

## **Other Information**

Individuals with pre-existing skin conditions may be sensitive to this product.

## **Section 12 - Ecological Information**

---

### **Ecological Information**

The information in this section refers to the liquid component of this product.

### **Persistence and degradability**

Information is not available for this specific product.

### **Mobility**

This product is expected to biodegrade within 28 days.

### **Environmental Protection**

Prevent large amounts from entering waterways, drains and sewers.

### **Acute Toxicity - Fish**

Fish Toxicity LC50: >100 mg/L

### **Acute Toxicity - Daphnia**

Daphnia Magna EC50: >100 mg/L

### **Acute Toxicity - Algae**

Blue-green algae: >100 mg/L

Green algae: IC50: >100 mg/L

## **Section 13 - Disposal Considerations**

---

### **Disposal Considerations**

This product must be disposed in accordance with the local authority in chemical waste management.

### **Special Precautions for Incineration or Landfill**

This product is not suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product should be treated and disposed through chemical waste treatment in accordance with the local authority, or considered for use in recycling.

## **Section 14 - Transport Information**

---

### **Transport Information**

Dangerous Goods of Class 2.1 Flammable Gases, or with a subsidiary risk of 2.1, are incompatible in a placard load with any of the following: - Class 1, Class 3, if both the Class 2.1 and Class 3 dangerous goods are in bulk, Class 4, Class 5, and Class 7.

### **ADG U.N. Number**

1950

### **ADG Proper Shipping Name**

AEROSOLS

### **ADG Transport Hazard Class**

2.1

### **IERG Number**

49

## Section 15 - Regulatory Information

---

### Regulatory Information

Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia

### Poisons Schedule

S5

### Australia (AICS/AIIC)

All ingredients listed.

## Section 16 - Any Other Relevant Information

---

### Date of Preparation

SDS reviewed: May 2027

Review date: May 2027

Supersedes: May 2017

### Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Globally Harmonised System of classification and labelling of chemicals.

Suppliers SDS.

### Other Information

Controlled Document: LAN-0010 SDS-CFA

Emergency Number: 0417 638 004

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Lanotec Australia Pty Ltd.

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.