

# SAFETY DATA SHEET

## MGX AEROSOL

Infosafe No.: 5GFJ3  
ISSUED Date : 25/01/2023  
ISSUED by: Australian Chemical Services

### Section 1 - Identification

**Product Identifier**

MGX AEROSOL

**Company Name**

Lanotec Australia Pty Ltd (ABN 87 096 795 621)

**Address**

Unit 79  
57-101 Balham Road Archerfield  
QLD 4108 Australia

**Telephone/Fax Number**

Tel: +61 7 3373 3700

Fax: +61 7 3373 3777

**Emergency Phone Number**

0417 638 004

**Recommended use of the chemical and restrictions on use**

Food safe industrial lubricant and protection spray.

### Section 2 - Hazard(s) Identification

**GHS classification of the substance/mixture**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Aerosols: Category 3

Aspiration hazard: Category 1

**Signal Word (s)**

DANGER

**Hazard Statement (s)**

H229 Pressurized container: may burst if heated.

H304 May be fatal if swallowed and enters airways.

**Pictogram (s)**

Health hazard

**Precautionary Statement – Prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

**Precautionary Statement – Response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor  
P331 Do NOT induce vomiting.

**Precautionary Statement – Storage**

P405 Store locked up.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**Precautionary Statement – Disposal**

P501 Dispose of contents/container to an approved waste disposal facility.

**Precautionary Statement – General**

P102 Keep out of reach of children.

**Other Information**

Note: This product has been classified as supplied. When used as directed, and the volatile substances have completely evaporated, the residue is non hazardous (non combustible). Refer to SDS for Lanotec Type A Grease for safety guidance on expected product residual.

**Section 3 - Composition and Information on Ingredients****Ingredients**

Name	CAS	Proportion
Naptha (Petroleum), hydrotreated heavy	64742-48-9	60-90 %
Lanolin	8006-54-0	10-30 %
Carbon Dioxide	124-38-9	10-30 %

**Section 4 - First Aid Measures****Inhalation**

If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

**Ingestion**

If swallowed, do NOT induce vomiting.

**Skin**

If skin or hair contact occurs, remove contaminated clothing and flush skin or hair with running water.

**Eye**

If in eyes wash out immediately with water.

**First Aid Facilities**

Ventilation and respiratory aid.

**Advice to Doctor**

Treat symptomatically.

**Other Information**

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

**Section 5 - Firefighting Measures****Fire Fighting Measures**

Allow trained personnel to attend a fire in progress providing fire fighters with this Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

**Suitable Extinguishing Media**

Alcohol resistant foam, or dry chemical or foam.

**Hazards from Combustion Products**

This product is combustible and will fuel a fire in progress.

### Specific hazards arising from the chemical

Hazardous decomposition: Carbon dioxide, carbon monoxide and other organic complexes upon incomplete burning or oxidation.

## Section 6 - Accidental Release Measures

---

### Emergency Procedures

This product is combustible and will fuel a fire in progress. Observe standard operating procedures for managing a blaze involving chemicals which can emit toxic vapours. There are chemical reactions that can take place through hydrolysis (reactions with water vapour) creating corrosive mixtures, and vapour hazards. Heat and flame will accelerate the oxidation process which can result in hazardous decomposition mixtures: carbon dioxide and carbon monoxide. Ensure the extinguishing media and any fire-fighting run-off is contained from contributing to environmental contamination, other chemical reaction hazards in adjacent areas, or expansion of the fire-affected area.

### Clean-up Methods - Large Spillages

#### Major Land Spill

- Eliminate sources of ignition.
- Warn occupants of downwind areas of possible fire and explosion hazard, where present.
- Prevent product from entering sewers, watercourses, or low-lying areas.
- Keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
- Take measures to minimise the effect on the ground water.
- Contain the spilled product using the resources in the spill kit.
- Recover by pumping – use explosion proof pump or hand pump – or with a suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See 'First Aid Measures'

#### Major Water Spill

- Eliminate any sources of ignition.
- Warn occupants and shipping in downwind areas of possible fire and explosion hazard, where present.
- Notify the port or relevant authority and keep the public away from the area.
- Shut off the source of the spill if possible and safe to do so.
- Confine the spill if possible.
- Remove the product from the surface by skimming or with suitable absorbent material.
- Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
- See 'First Aid Measures'

## Section 7 - Handling and Storage

---

### Precautions for Safe Handling

Store in a well-ventilated area away from incompatible materials such as strong acids and bases and strong oxidising materials. Check containers for integrity periodically and vent containers in hot weather. Employ good industrial hygiene when using this product, i.e. wash hands before and after use.

### Conditions for safe storage, including any incompatibilities

This product is combustible (C1 Combustible Liquid) and will fuel a fire in progress. Avoid extreme heat, direct sunlight, naked flames and ignition sources. Store any chemicals in banded or designated areas. Take precautions against static discharge.

## Section 8 - Exposure Controls and Personal Protection

---

### Occupational exposure limit values

The time weighted average concentration (TWA) for the liquid component of this product is: None specified; consider 5 g/m<sup>3</sup>, which means the highest allowable exposure concentration in an eight-hour day for a five-day working week. The short term exposure limit (STEL) is: None specified; consider 5 g/m<sup>3</sup>, which is the maximum allowable exposure concentration at any time. The liquid product component of this product is isolated in an aerosol device.

### Engineering Controls

The use of local exhaust ventilation is recommended to control process emissions near the source for this product when used as an aerosol. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion proof equipment for any atomised products such as aerosols.

### Respiratory Protection

Where concentrations in air may approach or exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type 'A' filter material is considered suitable for this product.

### Eye and Face Protection

Consider using safety glasses or other eye protection

### Personal Protective Equipment

Consider wearing long sleeves, long trousers, or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended to consider wearing protective gloves when handling this product.

## Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Aerosol	Appearance	Aerosol product containing a brown, mobile liquid. The following information refers to the liquid component of this product.
Boiling Point	> 150°C	Solubility in Water	Immiscible
pH	Not determined	Vapour Pressure	Not available
Density	0.80-0.84 g/ml	Flash Point	> 75°C
Auto-Ignition Temperature	> 250°C	Solubility in other solvents (kg/m <sup>3</sup> )	Hydrocarbons, organic solvents

## Section 10 - Stability and Reactivity

### Chemical Stability

Stable at room temperature and pressure

### Conditions to Avoid

Avoid strong oxidising agents, ignition sources, excessive heat and naked flames.

### Hazardous Decomposition Products

Strong acids, bases and oxidisers, heat and ignition sources.

## Section 11 - Toxicological Information

### Toxicology Information

The following information refers to the liquid component of this product.

Oral LD50: No data; consider > 10 g/kg

Inhalation TCLo: No data; consider > 10 g/kg

### Ingestion

This product may cause discomfort on swallowing and result in gastric disturbances. Do not induce vomiting, but give water to drink. Avoid aspiration. Seek immediate medical advice.

### Inhalation

This product may be irritating on inhalation or when working in confined spaces. Avoid inhaling mists of this product and do not concentrate vapours intentionally.

### Skin

This product will have an emolient effect on the skin (moisturises) and will create a barrier to other chemicals.

### Eye

This product will not be irritating to eyes, nor is there significant vapour. If the product is applied directly to the eyes, it will result in blurred vision and should be treated with first aid. There will be no permanent eye damage.

### Chronic Effects

There are no chronic health effects with use of this product.

## Section 12 - Ecological Information

---

### Ecological Information

The following information refers to the liquid component of this product.

#### Persistence and degradability

Information is not available for this specific product.

#### Mobility

This product is unlikely to be mobile on release to the environment and does not bioaccumulate. This product contains an animal fat that is considered biodegradable.

#### Environmental Protection

Prevent large amounts from entering waterways, drains and sewers.

#### Acute Toxicity - Fish

Fish Toxicity LC50: No data; consider > 100 mg/L

#### Acute Toxicity - Daphnia

Daphnia Magna EC50: No data; consider > 100 mg/L

#### Acute Toxicity - Algae

Blue-green algae: No data; consider > 100 mg/L

Green algae: No data; consider > 100 mg/L

## Section 13 - Disposal Considerations

---

### Disposal Considerations

This product must be disposed in accordance with the local authority in chemical waste management.

### Special Precautions for Incineration or Landfill

This product is not suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product should be treated and disposed through chemical waste treatment in accordance with the local authority, or considered for use in recycling.

## Section 14 - Transport Information

---

### Transport Information

Dangerous Goods of Class 2.2 Non Flammable Non Toxic Gases, are incompatible in a placard load with any of the following: - Class 1, Class 4.2, Class 5, and are incompatible with food and food packaging in any quantity.

#### ADG U.N. Number

1950

#### ADG Proper Shipping Name

AEROSOLS(contains CARBON DIOXIDE)

#### ADG Transport Hazard Class

2.2

#### IERG Number

49

## Section 15 - Regulatory Information

---

### Regulatory Information

Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia

#### Poisons Schedule

S5

## Australia (AICS/AIIC)

All ingredients listed.

## Section 16 - Any Other Relevant Information

---

### Date of Preparation

SDS reviewed: January 2023

Review date: January 2028

Supersedes: NA

### Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Globally Harmonised System of classification and labelling of chemicals.

Suppliers SDS.

### Other Information

Controlled Document: LAN-0010 SDS-MGX AEROSOL

Emergency Number: 0417 638 004

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Lanotec Australia Pty Ltd.

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.